AMERICAN SANGE

QUALITY PROFESSIONAL COOKING EQUIPMENT

PERFORMER

OPEN BURNERS

48" ICONICA RANGES (DUAL FUEL)

RANGE TOP FEATURES

- True commercial lift-off burners for easy cleaning.
- Three sizes of burners to serve your everyday needs: 25,000 BTU (Ig), 18,000 BTU (med), 12,000 BTU (sm)
- Variable flame settings for all Performer open burners.
- Automatic, electronic re-ignition.
- Continuous cast iron grates allow for easy transfer of pots and pans across the entire cooking surface.
- Porcelainized burner pans catch spills and lift out for easy cleaning.
- Dual action valves provide easy, safe operation.
- Stainless steel Island Back trim included and installed.

OVEN FEATURES

30" Convection Oven (5.0 c.f.) Bake element 3,500 watts Broil element 3,500 watts Convection element 2,500 watts

18" Convection Oven (2.7 c.f.)

Bake element 2,400 watts Broil element 2,400 watts Convection element 2,500 watts Modes: Bake, Convection Bake, Broil, Fan, Roast, Convection Roast, Warm, Proof, Dehydrate, Clean

- Red lights indicate oven functions.
- The Advanced Cooking System creates uniform air flow by cycling different elements depending on cooking mode.
- Two chrome plated, heavy-duty racks with six positions on heavy gauge chrome side supports.
- Eight-pass broiler provides rapid searing with 3,500 watts of power.
- Large oven accommodates full size commercial sheet pans.
- Oven lights controlled by switch on front panel. Oven front construction is a durable, precision-made one piece frame.

CONVECTION OVEN TECHNOLOGY



Balanced heat distribution is essential when baking, roasting, and dehydrating food. The American Range convection oven technology features a convection motor and louvered side panels to enhance uniform heat distribution throughout the large oven cavity. The strategic placement of the convection fan ensures consistent heat distribution.

CONVECTION OVENS ARE **GREEN** TECHNOLOGY

The highly efficient design of the Convection Oven uses less gas versus a standard oven.






25 18 25 18 12 25 18 25	25 25 18 12 18 25	252518121825
ARROB488DF	ARROB486GDDF	ARROB486GRDF
(18)	25 (18)	(25) (18)



ARROB4842GRDF



ARROB484GDGRDF

BURNER CONFIGURATIONS



ARROB4842GDDF

CUSTOMIZE YOUR RANGE

Pick any RAL color to match the color that best suits your lifestyle.






See ralcolorchart.com for color options for the front panel and toe kick. Knobs cannot be customized.



www.AmericanRangeHome.com

48" PERFORMER ICONICA RANGES – DUAL FUEL OPEN BURNERS/ELECTRIC OVENS

OVERALL HEIGHT COOKING SURFACE BULL NOSE 2 3/8"-• • • • • • • • 00000 GAS GAS II INLET Г 37 3/4" 36' 30" 00 ELECTRIC CORD Ų Ц 47 7/8" Q' OVERALL WIDTH REAR VIEW FRONT VIEW COMBUSTIBLE MATERIAL 30" TO VENTILLATION HOOD CABINET 36" MIN COOKING SURFACE TO COMBUSTIBLE 36" MATERIAL OR 30" to BOTTOM OF VENTILATION HOOD ISLAND TRIM REQUIRES 10" MINIMUM DISTANCE FROM REAR COMBUSTIBLE WALL 18" IN. MIN COMBUSTIBLE TO COOKING SURFACE MIN COMBUSTIBLE MATERIAL - 6" MIN OMBUSTIBL MATERIAL COOKING SURFACE ſſ 48"-FINISHED OPENING WIDTH 36 CABINET GE Ц Ų



SIDE VIEW

MUST SHIP FROM FACTORY WITH PROPER GAS TYPE N=Natural gas L= LP Gas. Must provide N or L after model number for type of gas needed. (Example: ARR488DF-L). Must specify elevation if over 2000 ft. when ordering.

* ELECTRICAL REQUIREMENTS 4-wire, 240VAC, 60 AMP.

A manual gas shut-off valve must be installed external to the appliance, in a location accessible from the front, for the purpose of shutting off the gas supply. This is a vented appliance. To be used in conjunction with a suitable vent hood only.

**The American Range Company continually improves its products and reserves the right to change materials, specifications and dimensions without notice. This unit is manufactured for residential use only.

© E RECOMMENDED LOCATION OF GAS AND ELECTRICAL SUPPLY ISLAND OR PENINSULA INSTALLATIONS 10" MINIMUM CLEARANCE FROM BACK OF RANGE TO COMBUSTIBLE SURFACE

OPTIONS (FACTORY INSTALLED)

ISLAND TRIM 0 IN. CLEARANCE TO NON COMBUSTIBLE SURFACE

NO SIDE WALL ABOVE COOKING SURFACE

TECHNICAL SPECIFICATIONS

Overall Oven Capacity	2.7 CU. FT. (18" Oven) – 5.0 CU. FT. (30" Oven)	Electrical Supply	240 VAC 60 AMP 60 Hz Single Phase
Oven Cavity Dimensions	13 3/4" W × 20 1/2" D × 16 1/2" H (18" Oven) (349 × 521 × 419) 25 3/4" W × 20 1/2" D × 16 1/2" H (30" Oven) (654 × 521 × 419)	Gas Supply	7" W.C. Natural, 11" W.C. Propane
Surface Burner Rating	25,000 BTU (lg) - 18,000 BTU (md) - 12,000 BTU (sm)	Broil Element	3,500 WATTS (30" Oven), 2,400 WATTS (18" Oven)
Griddle Burner Rating	20,000 BTU for every 11" section	Bake Element	3,500 WATTS (30" Oven), 2,400 WATTS (18" Oven)
Grill Burner Rating	15,000 BTU for every 11" section	Convection Element	2,500 WATTS (Both Ovens)
Total Gas Shineine			

			Iotal Gas	Shipping	
Model Number Des	scription O	verall Dimensions	Connection Rating	Weight	Crated Dimension
ARROB488DF	8 burners	47 7/8" W × 30" D × 37 3/4" H (1216 × 762 × 959	9) 166,000 BTU (49 kW) 596 Lbs (270 kg)	49" W × 31" D × 45 1/2" H (1245 × 788 × 1156)
ARROB486GDDF	6 burners and griddle	47 7/8" W x 30" D x 37 3/4" H (1216 x 762 x 959	9) 143,000 BTU (42 kW) 609 Lbs (277 kg)	49" W × 31" D × 45 1/2" H (1245 × 788 × 1156)
ARROB486GRDF	6 burners and grill	47 7/8" W x 30" D x 37 3/4" H (1216 x 762 x 959	9) 138,000 BTU (40 kW) 594 Lbs (270 kg)	49" W × 31" D × 45 1/2" H (1245 × 788 × 1156)
ARROB4842GDDF	4 burners and 2 griddles	47 7/8" W x 30" D x 37 3/4" H (1216 x 762 x 959	9) 120,000 BTU (35 kW) 575 Lbs (261 kg)	49" W x 31" D x 45 1/2" H (1245 x 788 x 1156)
ARROB4842GRDF	4 burners and 2 grills	47 7/8" W x 30" D x 37 3/4" H (1216 x 762 x 959	9) 110,000 BTU (32 kW) 603 Lbs (274 kg)	49" W x 31" D x 45 1/2" H (1245 x 788 x 1156)
ARROB484GDGRDF	4 burners 1 grill 1 griddle	47 7/8" W x 30" D x 37 3/4" H (1216 x 762 x 959	9) 115,000 BTU (34 kW) 612 Lbs (278 kg)	49" W x 31" D x 45 1/2" H (1245 x 788 x 1156)

ACCESSORIES

/ CCESSON ES							
1" Island Back (standard)	ARR-48SIB	12" Griddle Cover	ARR-GDCOV12-S	Wok Adapter	ARR-WOK	11" Chrome Flat Griddle Plate	MC11-FS
1" Island Back (welded)	ARR-48IB	12" Grill Cover	ARR-GRCOV12	Extra Oven Rack – 18" Oven	R31035	11" Chrome Grooved Griddle Plate	MC11-GG
4" Stub Back	ARR-484SB	12" Griddle Plate	ARR-PGP12	Extra Oven Rack – 30" Oven	R31037	22" Chrome Flat Finish Griddle Plate	MC22FS
20" High Back w/ Shelf	ARR-4821HBS	24" Griddle Plate	ARR-PGP24	Easy Glide Rack 18"	R31032	22" Cr L. Matte and R. Grooved GR Plate	MC22HG
S/S Leg Caps (3)	ARR-3LC	24" Griddle Cover	ARR-GDCOV24-S	Easy Glide Rack 30"	R31033	22" Chrome Flat Finish Griddle Plate	MC22FS
12" Cutting Board	ARR-CUTB-12	24" Grill Cover	ARR-GRCOV24	Porcelainized Broiler Pan	R31005	22" Griddle Plate w/ Flavor Separator	MC22-SP

S/S Curb Base ARR48CB NMFCCODE: 25970-2 Class: 85

© Copyright 2022 American Range All Rights Reserved R70438 RevB 01192023



4580 N Walnut Rd 13592 Desmond St N. Las Vegas, NV 89081 Pacoima, CA 91331 (888) 753-9898 www.AmericanRangehome.com

QUALITY PROFESSIONAL COOKING EQUIPMENT